




Exceeding The Limits To Always Get The Best

800x3000MM
1200x3000MM




THE NEW FRONTIERS OF SMART MARBLE FROM INDIA





CONNECTING THE VALUE OF SLAB



Legacy

Elevating classic style for today's Homeowner.

New Lifestyle

Leading edge design and innovation.

Heritage

Modernist





CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of ceramic slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.


PRODUCT Formats



The thicknesses are one of the most important elements characterizing ibis. It is unique in providing 2 different thicknesses to its public.

15 and 18 mm is set aside for the most demanding product applications such as kitchen countertops.

EDGE Profiles




Double straight rounded edge




Rounded straight edge



Half bullnose




Full bullnose




Demi bullnose



Micro bevel




Straight squared edge



Double straight squared edge



Rounded edge at 45°



Squared edge at 45°

Giving a nice trim to the edges of the tiles adds to its beauty.

As these tiles are of the good thickness of 15mm & 18mm, it is possible to shape its edges in different styles and create aesthetically rich countertops for your space.


JOINT POSSIBILITIES



Birds beak



45° corner



Soft corner



White



Blue



Gray



Green



Black



Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.

The Functionality of
The Residential Kitchen


Elevating Classic Style
for Today's Homeowner

Leading Edge Design
and Innovation


PRODUCT Range



Agata Blue



Amazonite



Angel Jasper




Arabescato Gold



Bianco Extra



Black Fusion



Blue Pearl



Calcatta Ultra



Crisocolla




Delmare



Forest Green



Karzai Green



Lourent Gold



Machia Vecchia



Marble Volakas




Marquina Nero



Onice Persia



Panda White



Portoro Black



Statuario Altissimo



Statuario Pearl

PRODUCT Finishes

CLAS STONE

Gloss is an optical property which indicates how well a surface reflects light in a specular (mirror-like) direction.



APPLICATION Areas

KITCHEN COUNTERTOP



DINING TABLE



LIVING ROOM



FURNITURE



STAIRCASE



OFFICE TABLE



TABLE TOP



DOOR \ WINDOW
FRAME



TECHNICAL Features

LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO HIGH
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE



HYGIENIC



RESISTANT TO UV RAYS






BIANCO EXTRA



1200x3000 MM



800x3000 MM (2 RANDOM)

BIANCO EXTRA


TPOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



1200x3000 MM



800x3000 MM (2 RANDOM)

STATUARIO PEARL

TYPOLOGY
COLOR BODY

FINISH
CLASSTONE


THICKNESS
15&18mm



MARBLE
VOLAKAS



1200x3000 MM



800x3000 MM (2 RANDOM)

MARBLE VOLAKAS

TYPOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



1200x3000 MM



800x3000 MM

APUANE STATUARIO

TPOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



1200x3000 MM



800x3000 MM (2 RANDOM)

ARABESCATO GOLD

TPOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



1200x3000 MM



800x3000 MM (2 RANDOM)

STATUARIO ALTISSIMO


TPOLOGY
COLOR BODY

FINISH
CLASSTONE


THICKNESS
15&18mm



DELMARE



1200x3000 MM



800x3000 MM (3 RANDOM)

DELMARE

TYOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



1200x3000 MM



800x3000 MM (3 RANDOM)

MACHIA VECCHIA

TPOLOGY
COLOR BODY

FINISH
CLASSTONE


THICKNESS
15&18mm



CALCATTÀ ULTRA



1200x3000 MM



800x3000 MM (3 RANDOM)

CALCATTÀ ULTRA


TPOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



FOREST GREEN



1200x3000 MM



800x3000 MM (2 RANDOM)

FOREST GREEN


TYPOLOGY
COLOR BODY

FINISH
CLASSTONE


THICKNESS
15&18mm



AGATA BLUE



1200x3000 MM




800x3000 MM (2 RANDOM)

AGATA BLUE


TPOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



1200x3000 MM



800x3000 MM (2 RANDOM)

BLUE PEARL


TYPOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



ONICE PERSIA



1200x3000 MM



800x3000 MM (3 RANDOM)

ONICE PERSIA

TYPOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



PANDA WHITE



1200x3000 MM




800x3000 MM (2 RANDOM)

PANDA WHITE


TYOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



1200x3000 MM



800x3000 MM (3 RANDOM)

AMAZONITE


TYPOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



CRISOCOLLA



1200x3000 MM



800x3000 MM (2 RANDOM)

CRISOCOLLA


TYPOLOGY
COLOR BODY

FINISH
CLASSTONE


THICKNESS
15&18mm



KARZAI GREEN



1200x3000 MM



800x3000 MM (4 RANDOM)

KARZAI GREEN

TYPOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



1200x3000 MM




800x3000 MM (2 RANDOM)

JADE GREEN


TPOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



1200x3000 MM



800x3000 MM (2 RANDOM)

VERDE ISSORIE

TPOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



ANGEL JASPER



1200x3000 MM



800x3000 MM (2 RANDOM)

ANGEL JASPER

TYPOLOGY
COLOR BODY

FINISH
CLASSTONE


THICKNESS
15&18mm



BLACK FUSION



1200x3000 MM



800x3000 MM (2 RANDOM)

BLACK FUSION


TYPOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



MARQUINA NERO



1200x3000 MM



800x3000 MM (2 RANDOM)

MARQUINA NERO


TYPOLOGY
COLOR BODY

FINISH
CLASSTONE

THICKNESS
15&18mm



1200x3000 MM




800x3000 MM (2 RANDOM)

PORTORO BLACK


TYPOLOGY
COLOR BODY

FINISH
CLASSTONE


THICKNESS
15&18mm



LOURENT GOLD



1200x3000 MM



800x3000 MM (2 RANDOM)

LOURENT GOLD

TYOLOGY
COLOR BODY

FINISH
CLASSTONE


THICKNESS
15&18mm



CLEAR WHITE
93 L Value



1200x3000 MM




800x3000 MM


CLEAR WHITE

T TYPOLOGY
FULL BODY

THICKNESS
15&18mm



1200x3000 MM




800x3000 MM


PEARL WHITE

TYOLOGY
FULL BODY

THICKNESS
15&18mm



1200x3000 MM



800x3000 MM

ROYAL QUARTZITE

TYOLOGY
FULL BODY

THICKNESS
15&18mm



JET BLACK



1200x3000 MM



800x3000 MM

JET BLACK

TYPOLOGY
FULL BODY

THICKNESS
15&18mm



DESERT GOLD



1200x3000 MM




800x3000 MM


DESERT GOLD

TYPOLOGY
FULL BODY

THICKNESS
15&18mm



1200x3000 MM




800x3000 MM

ESPRESSO

TYPOLOGY
FULL BODY


THICKNESS
15&18mm



ESPRESSO - ESSEL BROWN



1200x3000 MM



800x3000 MM

ESSEL BROWN

TYPOLOGY
FULL BODY

THICKNESS
15&18mm



SAGA WHITE



1200x3000 MM




800x3000 MM

SAGA WHITE

TYOLOGY
FULL BODY

THICKNESS
15&18mm



1200x3000 MM



800x3000 MM


SCABBAS

TYPOLOGY
FULL BODY

THICKNESS
15&18mm



1200x3000 MM



800x3000 MM


WALL STREET GREY

TYPOLOGY
FULL BODY

THICKNESS
15&18mm



TERAZZO BLACK SALT N PEPPER



1200x3000 MM



800x3000 MM

TERAZZO BLACK SALT N PEPPER

TYPOLOGY
FULL BODY

THICKNESS
15&18mm



1200x3000 MM



800x3000 MM


TERAZZO BROWN SALT N PEPPER

TYPOLOGY
FULL BODY

THICKNESS
15&18mm



1200x3000 MM




800x3000 MM


TERAZZO VERDE SALT N PEPPER

TYPOLOGY
FULL BODY

THICKNESS
15&18mm



1200x3000 MM



800x3000 MM

TERRAZZO GREY SALT N PEPPER

TYPOLOGY
FULL BODY

THICKNESS
15&18mm



TERAZZO IVORY SALT N PEPPER



1200x3000 MM



800x3000 MM

TERAZZO IVORY SALT N PEPPER

TYPOLOGY
FULL BODY

THICKNESS
15&18mm

Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF IBIS	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5mm	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175m ³ m	Max. 132m ³ m	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(< ¹²) / Posh ≥P1(¹²⁻²⁴)	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R ¹³	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polished

** Except Hydrofluoric Acid & it's compound

Tiles Intended for use on floor

As per customer requirement

Packing Details

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kg)
Clas Stone	1200x3000mm	15mm & 18mm	1pc	38.75 Sq ft	125 & 152
	800x3000mm	15mm & 18mm	1pc	25.83 Sq ft	83.5 & 102